

**IN THE CLAIMS:**

1. (Currently amended) A filter assembly for producing filtered water comprising:  
  
a container having an open top end,  
  
a plurality of filter elements enclosed in a reclosable package and being stored within said  
container, wherein each of said filter elements are saturated with a water dispersible anti-  
microbial agent in an amount to treat the water;  
  
a filter basket removably coupled to a top end of said container, and  
  
a lid removably coupled to said container to form a substantially watertight seal and to  
close said open top end of said container and said filter basket.
2. (Original) The assembly of claim 1, wherein said filter elements include a water  
dispersible nutrient or vitamin supplement.
3. (Original) The assembly of claim 1, wherein said filter elements are impregnated with  
calcium hypochlorite as said anti-microbial agent.
4. (Original) The assembly of claim 1, further comprising a plurality of drinking vessels  
contained within said container.
5. (Original) The assembly of claim 4, wherein each of said drinking vessels include  
identifying indicia.

6. (Original) The assembly of claim 4, wherein each of said drinking vessels include a different color indicia to identify use by an individual.

Claim 7 (Cancelled)

<sup>7</sup>  
~~8~~. (Currently amended) The assembly of claim ~~[[7]]~~ <sup>1</sup>, wherein said reclosable package is a plastic, waterproof bag.

<sup>8</sup>  
~~9~~. (Original) The assembly of claim 1, wherein said container has an internal lip dimensioned to support said filter basket.

<sup>9</sup>  
~~10~~. (Original) The assembly of claim <sup>8</sup>~~9~~, wherein said filter basket has a porous bottom wall, a side wall and an outwardly extending flange, said flange having a dimension to mate with said internal lip on said container.

<sup>10</sup>  
~~11~~. (Currently amended) A method for producing filtered and disinfected drinking water comprising the steps of:

providing an assembly having a container with an open top end, a plurality of filter elements contained in a reclosable package and being stored within said container, a filter basket and a lid for said container, wherein said filter elements are impregnated with an antimicrobial agent,

removing said filter elements from said container,

positioning said filter basket in a top end of said container and removably coupling said filter basket to said container,

positioning a filter element in said filter basket, and

passing unfiltered water through said filter element and collecting filtered and disinfected water in said container.

<sup>11</sup>  
12. (Original) The method of claim <sup>10</sup>11, wherein said filter elements contain a said anti-microbial agent in an amount sufficient to treat a volume of water defined by a volume of said container.

<sup>12</sup>  
13. (Original) The method of claim <sup>10</sup>11, wherein said filter elements include a water dispersible nutrient or vitamin supplement.

<sup>13</sup>  
14. (Original) The method of claim <sup>10</sup>11, wherein said filter elements are impregnated with calcium hypochlorite as said antimicrobial agent.

<sup>14</sup>  
15. (Original) The method of claim <sup>10</sup>11, further comprising a plurality of drinking vessels contained within said container.

Claim 16 (Cancelled)

<sup>15</sup>  
17. (Currently amended) The method of claim <sup>10</sup>[[16]] <sup>10</sup>11, wherein said reclosable package is a plastic, waterproof bag.

<sup>16</sup>  
18. (Original) The method of claim <sup>10</sup>11, wherein said container has an internal lip dimensioned to support said filter basket.

<sup>17</sup>  
19. (Original) The method of claim <sup>16</sup>18, wherein said filter basket has a porous bottom wall, a side wall and an outwardly extending flange, said flange having a dimension to mate with said internal lip on said container.

<sup>18</sup>  
20. (New) A filter assembly for producing filtered water comprising:  
a container having an open top end and an internal lip,  
a filter element stored within said container, wherein said filter element is saturated with a water dispersible anti-microbial agent in an amount to treat the water;  
a filter basket removably coupled to a top end of said container and having a porous bottom wall, a side wall and an outwardly extending flange, said flange having a dimension to mate with an internal lip on said container to support said filter basket, said filter basket supporting said filter element for filtering water, and  
a lid removably coupled to said container to form a substantially watertight seal and to close said open top end of said container and said filter basket.

<sup>19</sup>  
21. (New) The filter assembly of claim <sup>18</sup>20, wherein said assembly includes a plurality of filter elements enclosed within a reclosable package wherein said reclosable package is stored within said container.

~~20~~

18

22. (New) The filter assembly of claim ~~20~~, further comprising a plurality of drinking vessels, each having an identifying color indicia, and wherein said drinking vessels are stored in said container.